Packster 40 PERSENNING FÜR CARRY SYSTEM (VBK0192)

Die Persenning schütz Ihr Gepäck vor Blicken und Witterung.

Lieferumfang

- **1x** Persenning

Montage

1. 2 Schrauben und U-Scheiben ① entfernen (Abb. 1).
2. Lasche von Persenning zwischen Reling und Rahmen festschrauben (Abb. 1).
3. Persenning einhängen (Abb. 2).
4. Wenn eine Adapterplatte vorhanden ist:
   - Flaschenhalter demontieren, obere Verschraubung ② lösen
   - Persenning für Verschraubung lochen (Abb. 3) und alles wieder montieren.



Abb. 1: Persenning montieren



Abb. 2: Persenning einhängen



Abb. 3: Persenning lochen

Stand: 12.04.2019 15:40:00
Datei: VBK0192-P40-Persenning-carry-171109.docx

Stand: 12.04.2019 15:40:00

Persenning benutzen

1. Persenning zuerst vorne einhängen (Abb. 4).
2. Persenning auf einer Seite einhängen (Abb. 5). Dann auf der anderen Seite einhängen.
3. Gummizüge ③ links und rechts einhängen (Abb. 2).
4. Bei Kindertransport kann die Persenning auch nur teilweise geschlossen werden (Abb. 6).



Abb. 4: Persenning vorne einhängen



Abb. 5: Persenning seitlich einhängen



Abb. 6: Persenning teilweise geschlossen

Datei: VBK0192-P40-Persenning-carry-171109.docx

Packster 40 TARPAULIN FOR CARRY SYSTEM (VBK0192)

State: 12.04.2019 15:40:00

The tarpaulin protects your luggage from weather and sight.

Scope of Delivery

- **1x** tarpaulin

Assembly

1. Remove 2 bolts and washers (1) (fig. 1).
2. Fix strap of tarpaulin between rail and frame (fig. 1).
3. Hook in tarpaulin (fig. 2).
4. If adapter plate exists:
   - remove bottle cage and upper bolt (2)
   - punch tarpaulin at bolt position (fig. 3) and assemble bolt and bottle cage again.



fig. 1: mount tarpaulin



fig. 2: hook in tarpaulin



fig. 3: punch tarpaulin

Datei: VBK0192-P40-Persenning-carry-171109.docx

State: 12.04.2019 15:40:00

Use tarpaulin

1. First hook in tarpaulin at front (fig. 4).
2. Hook in tarpaulin at one side first (fig. 5)then at the other side
3. Hook in left and right rubber strap ③ (fig. 2).
4. For child transport the tarpaulin can be closed partially (fig. 6).



fig. 4: hook in tarpaulin at front



fig. 5: hook in tarpaulin at side



fig. 6: partially closed tarpaulin

Datei: VBK0192-P40-Persenning-carry-171109.docx